

Close Up Plugs For Unused Operator Openings

CLOSE UP PLUGS

Catalog #	Operator Description	Weight
XPPH3	3/4" NPSM	3/4 oz.
XPPH3-N4	3/4" NPSM Type 4	3/4 oz.



XPPH3
Black Anodized



Legend Plates

FEATURES

- Legend plates are anodized aluminum with engraved letters on black background (XNP).
- Stop has red and start has green background.
- Special engraved legend plates can be supplied.
- Legend plate has foam gasket backing for use with protective boots for sealing. Engraving 1 line only see Price List (XNPW).

SPECIFY LEGEND PLATE

Catalog #	Operator Description	Weight (oz.)
XNP	Specify Legend	1
XNPL	Specify Legend	1





LEGEND PLATES

Catalog #	Operator Description	Weight (oz.)
XNPWB	Black Blank Legend Plate	1
XNPWG	Green Blank Legend Plate	1
XNPWR	Red Blank Legend Plate	1
XNPW XL	Specify Legend	1

STANDARD MARKING

FOR PUSHBUTTON	FOR SELECTOR SWITCHES
(BLANK) SLOW	RESET
START OPEN	IN
INCH CLOSE	OUT
STOP UP	LEFT
RUN JOG	RIGHT
FORWARD ON	LOW
REVERSE OFF	HIGH
FAST BACK	DOWN
EMERGENCY STOP	



Pushbutton & Selector Switch Components

FEATURES

- Operator locking caps and actuator devices can be adapted to existing explosion proof operators.
- Simple installation requires removal of top cap and threading on the replacement unit.



XHDPL
Padlock Device for Dual
Pushbutton

PUSHBUTTON & SELECTOR SWITCH

Catalog #	Description	Weight (lbs.)
XHDPL	Padlock Device for Dual Pushbutton	1/4
XHPL	Padlock Device to activate Pushbutton (Not Shown)	1/4
XHSPL	Padlock Device for Selector Switch (Not Shown)	1/4
XHPLG	Padlockable Pushbutton Cover (Not Shown)	1/4

Operator Protective Boots

FEATURES

- Molded silicone rubber, protective boots for use with explosion proof operators in extremely wet-dirty locations. Makes operators suitable for NEMA 3, 4, 4X, 5, 7, 9, 12,13 application.
- Boot and metal collar are an integral assembly available as a factory adder or a field replacement.
- Simple installation requires removal of existing cap and threading on the replacement.

XBSB



Selector Switch Cap



XBB

Pushbutton Cap

PUSHBUTTON & SELECTOR SWITCH

Catalog #	Description	Weight (lbs.)
XBB	Black Pushbutton Cap	1 oz.
XBG	Green Pushbutton Cap	1 oz.
XBR	Red Pushbutton Cap	1 oz.
XBSB	Black Selector Switch Cap	1 oz.
XBSG	Green Selector Switch Cap	1 oz.
XBSR	Red Selector Switch Cap	1 oz.
XBPC	Clear Pilot Light Pushbutton Cap	1 oz.

NOTE To order as complete operator, add part # as suffix


Close Up Plugs

For Unused Operator Openings

Close Up Plugs	
Catalog #	Weight
XMPP	1/2 oz.

Legend Plates Standard Marking

LEGEND PLATES		
Catalog #	Description	Weight
XMNP	Specify legend	1/2 oz.



STANDARD MARKING		
FOR PUSHBUTTONS		
(BLANK)	SLOW RESET	START
OPEN	IN INCH	CLOSE
OUT	STOP UP	LEFT
RUN	JOG RIGHT	FORWARD
ON	LOW REVERSE	OFF
HIGH	FAST BACK	
FOR SELECTOR		
		SWITCHES
		RUN-JOG
		HAND-AUTO
		FWD-REV
		FAST-SLOW
		OFF-ON
		OPEN-CLOSE
		UP-DOWN

